Technical - Material Safety Data Sheets SPS Series.

Shannon Luminous Materials, Inc. 304 A North Townsend Street Santa Ana, CA 92703 Tel: 714.550.9931

SECTION ONE -- IDENTITY INFORMATION

TRADE NAME : PHOTOLUMINESCENT PIGMENT

CAS NUMBER : NO

CHEMICAL/FAMILY NAME: ALKALINE EARTHMETAL SULFIDE

EUROPIUM DOPED

PRODUCT TYPE: RR-7

FORMULA : MS (M REPRESENTS ALKALINE METAL)

STATEMENT : THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN

PREPARED IN COMPLIANCE WITH TIE FEDERAL OSHA HAZARD

COMMUNICATION STANDARD 29 CFR 1910.1200. THIS

PRODUCT IS CONSIDERED TO BE A NON-HAZARDOUS

SUBSTANCE UNDER THAT STANDARD.

SECTION TWO -- HAZARDOUS INGREDIENTS

INGREDIENTS GAS NUMBER % ACGIH-TLV OSHA-PEL

AS INERT DUST (TOTAL) 2mg/m³ ACGIN-TLV

3mg/m³OSHA-PEL

SECTION THREE -- PHYSIGAL DATA

APPEARANCE : RED POWDER/NO ODER

MELTING POINT : DISSOCIATES 1200⁰ C

VAPOR PRESSURE: N/AP

VAPOR DENSITY : N/AP

SOLUBILITY IN WATER : SOLUBLE

WEIGHT PER CUBE METER: 2.5 - 3.1

PLAMMABILITY CLASS: N/AP

EXTINGUSHING MEDIA: WATER

SPECIFIC GRAVITY: 2.5 - 3.1

FREEZING POINT : N/AP

PERCENT VOLATILE: N/AP

EVAPORATION RATE: N/AP

PH (% IN WATER) : N/AP

FLASH POINT : N/AP

AUTO-IGNITION TEMP: N/AP

FIRE FIGHTING PROCEDURE-SPECIAL

FIRE FIGHTERS SHOULD WEAR SELF-CONTALNED BREATHING APPARATUS

WHEN FIGHING CHEMICAL FIRES.

USE WATER SPRAY TO COOL NEARBY CONTAINTERS AND STRUCTURES EXPOSED

TO FIRE.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

THIS PRODUCT WILL NOT BURN.USE APPROPRIATE TECHNIQUES TO FIGHT

SUROUNGING FIRE.

SECTION FOUR -- REACTIVITY DATA

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: CONTACT WITH ACIDS

INCOMPATIBILITY : CONTACT WITH ACIDS

HAZARDOUS DECOMPOSITION PRODUCTS: WILL NOT OCCUR

SECTION FIVE -- HEALTH HAZARD DATA

RESPIRATORY EQUIPMENT: LOCAL EXHAUST/MECHANICAL (GENERAL)

PROTECTIVE GLOVES: PLASTIC OR NEOPRENE

EYE PROTECTION: CHEMICAL GLASSES

VENTILATION:

OTHER PROTECTIVE EQUIPMENT: LAB COAT

THRESHOLD LIMIT VALUE: OSHA, PEL TOTAL DUST 3mg/m³

PRIMARY ROUTES OF EXPOSURE: INHALATION/INGESTION/SKIN

OSHA PEL : 3mg/m³

ACGIN TLV: 2mg/m³

EFFECTS OF OVEREXPOSURE: MAY CAUSE IRRIATION TO EYES, SKINS &

MUCOUS MEMBRANES

LISTED CARCINOGEN: NONE

SECTION SIX -- EMERGENCY & FIRST AID DATA

SKIN: WASH OFF WITH SOAP & WATER

EYES: FLUSH WITH WATER FOR 5 MINUTES

INHALATON: REMOVE TO FLESH AIR

INGESTION: DRINK QUANTITIES OF WATER & INDUCE VOMITING

SECTION SEVEN -- TOXICOLOGY INFORMATION

THIS PRODUCT IS OF NON-TOXIC, PLEASE CONTACT THE MANUFACTURE FOR

FURTHER INFORMATION.

SECTION EIGHT – SPILL OR LEAK PROCEDURES

SPILL PROCEDURES: WEAP APPROPRIATE PROTECTIVE EQUIPMENT, AVOID

THE GENERATION OF DUST, VACUUM OR SHOVEL

MATERIAL AND PLACE IN CLOSABLE CONTAINER(S)

FOR DISPOSAL

WASTE DISPOSAL METHODS: DISPOSE IN ACCOURDANCE WITH STATE AND

LOCAL REGULATIONS

SECTION NINE -- REGULATORY INFORMATION

SARA 313 TITLE III

TOXIC SUBSTANCE CONTROL ACT (TSCA):

ALL INGREDIENTS IN THIS PRODUCT ARE LISTED ON THE U.S. EPA TSCA

INVENTORY OF CHEMICAL SUBSTANCES.

SECTION TEN -- SPECIAL PRECAUTIONS FOR INDUSTRIAL USE ONLY

HANDLING & STORAGE INFORMATION:

STORE CLOSED IN COOL DRY AREA WHEN HADLING WEAR PROTECTIVE

CLOTHING & RESPIRATORY PROTECTION. AVOID SCATTER INTO THE AIR.

OTHER PRECAUTIONS: MAINTAIN A SCHEDULE OF REGULAR HOUSEKEEPING

TO INSURE CLEANLINESS

SECTION ELEVEN -- ADDENDUM

DEFINITIONS AND ABBREVIATIONS:

ACGIH=AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

CAS=GHEMIGAL ABSTRACTS SERVICE REGISTRY HUMBER

EPA=ENVIRONMENTAL PROTECTION AGENCY

N/AP=NOT APPLICATION

N/AY=NOT AVAILABLE

NOISH=NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH

OSHA=OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL=PERMISSIBLE EXPOSURE LIMITS

SARA=SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT